



IE2 IE3 EFFICIENCIES AT A GLANCE



	2-POLE		
FRAME	KW	IE2	IE3
71	0.37	73.7	76.4
71	0.55	75.7	79
80	0.75	78.3	81.6
80	1.1	81.6	83.6
90S	1.5	82.2	85.1
90L	2.2	84.6	86.8
100L	3.7	86.4	88.7
132S	5.5	88	90.1
132S	7.5	89	91
160M	11	90.3	92.1
160M	15	91.2	92.8
160L	18.5	91.8	93.3
180M	22	92.2	93.6
200L	30	92.9	94.2
200L	37	93.4	94.6
225M	45	93.8	94.9
250M	55	94.1	95.2
280S	75	94.7	-
280M	90	95	-
315S	110	95.2	-
315M	125	95.4	-
315M	132	95.5	-
315L	160	95.7	-
315L	180	96	-
315L	200	96	-
355M	225	96.2	-
355M	250	96.2	-
355L	275	96.3	-
355L	315	96.3	-
355L	335	96.1	-

	4-POLE		
FRAME	KW	IE2	IE3
71	0.37	71	73.9
80	0.55	76	78.9
80	0.75	80.5	83.4
90S	1.1	83.2	85
90L	1.5	84.4	86.2
100L	2.2	86.1	87.6
112M	3.7	87.6	89.3
132S	5.5	89.8	90.5
132M	7.5	89.6	91.3
160M	9.3	89.7	91.6
160M	11	90.7	92.3
160L	15	91.5	93
180M	18.5	92.1	93.5
180L	22	92.5	93.9
200L	30	93.2	94.5
225S	37	93.6	94.8
225M	45	94	95.1
250M	55	94.4	95.5
280S	75	94.9	-
280M	90	95.1	-
315S	110	95.4	-
315M	125	95.5	-
315M	132	95.6	-
315L	160	95.8	-
315L	180	96.1	-
315L	200	96.1	-
355M	225	96.3	-
355M	250	96.3	-
355L	275	96.3	-
355M	275	96.2	-
355L	315	96.3	-
355L	335	96.1	-
355L	350	96	-

	6-POLE		
FRAME	KW	IE2	IE3
80	0.37	69.9	72.8
80	0.55	73.8	76.8
90S	0.75	76.8	79.8
90L	1.1	79	81.9
100L	1.5	80.7	83.4
112M	2.2	82.7	85.2
132S	3.7	85.2	87.4
132M	5.5	87.3	88.9
160M	7.5	88.4	90
160L	11	89.6	91.2
180L	15	90.6	92.1
200L	18.5	91.3	92.6
200L	22	91.8	93.1
225M	30	92.6	93.8
250M	37	93.1	94.2
280S	45	93.6	-
280M	55	94	-
315S	75	94.6	-
315M	90	94.9	-
315M	110	95.2	-
315M	125	95.3	-
315L	132	95.5	-
355M	160	95.7	-
355M	180	95.5	-
355M	200	95.5	-
355L	250	95.4	-
355L	315	95.2	-