

**MAXIMUM RETAIL PRICE (M.R.P.) INCLUSIVE OF EXCISE DUTY AND ALL TAXES/LEVIES
FLEXIBLE CABLES - SINGLE CORE**

Finolex PVC Insulated Unsheathed Single Core Bright Annealed Bare Copper Conductor Flexible Cables for Voltage grade upto 1100 V conforming to IS:694/1990 upto 50 sqmm and generally conforming to

IS:694/1990 from 70 sqmm and above.

**Product Code	Conductor Construction (Number/dia. mm)	Conductor Area (sq.mm)	M.R.P. per 100 M Rs.	Packing
----------------	---	------------------------	----------------------	---------

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

14001	16/.20	0.50	426	Cables shall be supplied in Standard length of 100 M
14002	24/.20	0.75	603	
14003	32/.20	1.00	775	
14104	30/.25	1.50	1103	
14105	50/.25	2.50	1747	
14206	56/.30	4.00	2756	

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

14207	84/.3	6.00	4153	Cables shall be supplied in Standard length of 100 M
14208	140/.3	10.00	6928	
14309	126/.4	16.00	11083	
14310	196/.4	25.00	17557	
14311	276/.4	35.00	23706	
14312	396/.4	50.00	34240	
14513	360/.5	70.00	50241	
14514	475/.5 *	95.00	66207	
14515	608/.5 *	120.00	83346	
14516	750/.5 *	150.00	102294	
14517	925/.5 *	185.00	125681	
14518	1221/.5 *	240.00	172751	

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

NOTES	
1. PRINTING	Finolex Cables are printed with Company Name , Logo, Size(sqmm)
2. DELIVERY	F.O.R. any station in India by road transport.
3. PRODUCT CODE **	The full product code is of 8 digits: For example: 142 07 01 4 = 84/.3, 6.0 sqmm BLK 100M a) First three digits represent Dia of Single Core Flexible conductor i.e 140 = 0.2mm conductor, 141 = 0.25 , 142 = 0.3 , 143 = 0.4 , 145=0.5 mm. b) Next two digits represent Size in Sq mm i.e. 01=0.5 sqmm, 02=.75,03=1.0 sq.mm 04=1.5, 05=2.5, 06=4.0, 07=6.0 , 08=10.0, 09=16.0,10=25,11=35,12=50 sq. mm. 13=70, 14=95, 15=120, 16=150, 17=185, 18=240 sqmm. c)Next two digits represent Colour i.e. 01=Blk, 02=Blue, 04= Brn, 05=Grn, 07=Gry 08= Orn, 09= Pnk, 10=Red, 11=Vio, 12=Wht, 13= Yel, 14=Yel/Grn d) Last digit is for length in metres i.e. 1 = Mtrs (non standard length) , 4 = 100 M coil, 5=200 M coil, 9=500 M coil
4. ALTERATION	This Price List supersedes all our earlier price lists and is subject to change without notice.

**MAXIMUM RETAIL PRICE (M.R.P.) INCLUSIVE OF EXCISE DUTY AND ALL TAXES/LEVIES
FLEXIBLE CABLES - MULTICORE**

**Finolex PVC Insulated & PVC Round Sheathed Multicore Bright Annealed Bare Copper Conductor
Flexible Cables for Voltage grade upto 1100 V as per IS:694/1990 upto 5 cores
& generally conforming to IS694/1990 for 6 Core & above.**

**Product Code	Conductor Construction (Number/dia. mm)	Conductor Area (sqmm)	M.R.P. per 100 M Rs.	Packing
----------------	---	-------------------------	----------------------	---------

TWO CORES: Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

17002	16/.2	0.50	1779	Cables shall be supplied in Standard length of 100 M
17002	24/.2	0.75	2166	
17002	32/.2	1.00	2542	
17102	30/.25	1.50	3433	
17102	50/.25	2.50	5262	
17202	56/.3	4.00	7915	

THREE CORES : The single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

17003	16/.2	0.50	2113	Cables shall be supplied in Standard length of 100 M
17003	24/.2	0.75	2697	
17003	32/.2	1.00	3278	
17103	30/.25	1.50	4513	
17103	50/.25	2.50	6912	
17203	56/.3	4.00	10327	

FOUR CORES : Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

17004	16/.2	0.50	2615	Cables shall be supplied in Standard length of 100 M
17004	24/.2	0.75	3327	
17004	32/.2	1.00	4030	
17104	30/.25	1.50	5644	
17104	50/.25	2.50	8743	
17204	56/.3	4.00	12978	

SIX TO NINETEEN CORES *

The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Ylw/Green is for earthing. Colour of sheath - Black.

SIX CORES * (There will be one dummy core in the centre)

17006	16/.2	0.50	3870	Cables shall be supplied in Standard length of 100 M
17006	24/.2	0.75	5105	
17006	32/.2	1.00	6309	
17106	30/.25	1.50	8622	
17106	50/.25	2.50	13442	
17206	56/.3	4.00	20377	

SEVEN CORES (1 + 6) *

17007	16/.2	0.50	4173	Cables shall be supplied in Standard length of 100 M
17007	24/.2	0.75	5562	
17007	32/.2	1.00	6853	
17107	30/.25	1.50	9361	
17107	50/.25	2.50	14677	
17207	56/.3	4.00	22385	

**MAXIMUM RETAIL PRICE (M.R.P.) INCLUSIVE OF EXCISE DUTY AND ALL TAXES/LEVIES
FLEXIBLE CABLES - MULTICORE**

**Product Code	Conductor Construction (Number/dia. mm)	Conductor Area (sqmm)	M.R.P. per 100 M Rs.	Packing
----------------	---	-------------------------	----------------------	---------

EIGHT CORES *

17008	16/.2	0.50	5021	Cables shall be supplied in Standard length of 100 M
17008	24/.2	0.75	6566	
17008	32/.2	1.00	8077	
17108	30/.25	1.50	11173	
17108	50/.25	2.50	17576	
17208	56/.3	4.00	26812	

TEN CORES : (2 + 8) *

17010	16/.2	0.50	6111	Cables shall be supplied in Standard length of 100 M
17010	24/.2	0.75	7959	
17010	32/.2	1.00	10090	
17110	30/.25	1.50	13364	
17110	50/.25	2.50	21619	
17210	56/.3	4.00	33410	

TWELVE CORES : (3 + 9) *

17012	16/.2	0.50	7473	Cables shall be supplied in Standard length of 100 M
17012	24/.2	0.75	9660	
17012	32/.2	1.00	12069	
17112	30/.25	1.50	15920	
17112	50/.25	2.50	26191	
17212	56/.3	4.00	39333	

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES : (4 + 10) *

17014	16/.2	0.50	8158	Cables shall be supplied in Standard length of 100 M
17014	24/.2	0.75	10732	
17014	32/.2	1.00	13178	
17114	30/.25	1.50	17878	
17114	50/.25	2.50	29220	
17214	56/.3	4.00	44480	

SIXTEEN CORES (5 + 11) *

17016	16/.2	0.50	9297	Cables shall be supplied in Standard length of 100 M
17016	24/.2	0.75	12647	
17016	32/.2	1.00	15104	
17116	30/.25	1.50	20495	
17116	50/.25	2.50	33086	
17216	56/.3	4.00	52010	

NINETEEN CORES (1 + 6 + 12) *

17019	16/.2	0.50	10628	Cables shall be supplied in Standard length of 100 M
17019	24/.2	0.75	14302	
17019	32/.2	1.00	17522	
17119	30/.25	1.50	25292	
17119	50/.25	2.50	39112	
17219	56/.3	4.00	59634	

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

**MAXIMUM RETAIL PRICE (M.R.P.) INCLUSIVE OF EXCISE DUTY AND ALL TAXES/LEVIES
FLEXIBLE CABLES - MULTICORE HEAVY DUTY**

**Finolex PVC Insulated & PVC Round Sheathed Multicore Bright Annealed Bare Copper Conductor
Flexible Cables for Voltage grade upto 1100 V generally conforming to IS:694/1990.**

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

**Product Code	Conductor Construction (Number/dia. mm)	Conductor Area (sqmm)	M.R.P. per 100 M Rs.	Packing
17203074	84/.3	6	15426	Cables shall be supplied in Standard length of 100 M
17203084	140/.3	10	25503	
17203094	226/.3 *	16	39809	
17203104	354/.3 *	25	61144	
17203114	495/.3 *	35	82691	
17203124	703/.3 *	50	118828	
17503134	360/.5 *	70	171228	
17503144	475/.5 *	95	222519	
17503154	608/.5 *	120	287972	

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

17204074	84/.3	6	20088	Cables shall be supplied in Standard length of 100 M
17204084	140/.3	10	33105	
17204094	226/.3 *	16	51168	
17204104	354/.3 *	25	80326	
17204114	495/.3 *	35	109259	
17204124	703/.3 *	50	155265	
17504134	360/.5 *	70	218862	
17504144	475/.5 *	95	287922	
17504154	608/.5 *	120	374470	

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

NOTES	
1. PRINTING	Finolex Cables are printed with Company Name, Logo and Size(sqmm)
2. DELIVERY	F.O.R. any station in India by road transport.
3. PRODUCT CODE **	The full product code is of 8 digits: For example: 17203094 = 226/.3 3 core 16 sqmm 100M 17504134 = 360/.5 4 core 70 sqmm 100M a) First three digits represents Dia of Multicore Flexible conductor Dia i.e. 172 =0.3mm, 175 = 0.5mm. b) Next two digits represent no. of cores i.e. 03 = 3 cores, 04 = 4 cores. c) Next two digits represent Size in Sq mm i.e. 07=6.0 sqmm , 08=10.0, 09=16.0,10=25,11=35,12=50 sqmm, 13=70, 14=95, 15=120 sq. mm. d) Last digit is for length in metres i.e. 1 = Mtrs(non standard length) , 4 = 100m coil.
4. ALTERATION	This Price List supersedes all our earlier price lists and is subject to change without notice.